



**ALUSPIEGEL 38° 350mA CRI90 LED
Modul 6, 2W 2700K**
Article nr.: 88806

LED-Modul 6,2W mit Reflektor · ERSATZ FÜR NIEDERVOLT HALOGEN 50W · mit Luminus-CXM6 Power LED Array · dimmbar · · Betriebsstrom: 350 mA · Leistung: 6,2W · Lichtstrom: 670 lm · Lichtfarbe: 2700 K · CRI: >90 · Lebensdauer L70B50 >= 50.000 h · Ausstrahlwinkel: 38° · Schutzklasse III · Energieeffizienzklasse: E · · Sehr gute Wärmeableitung durch optimierten Aluminium-Kühlkörper · Aluminiumreflektor mit Halogenoptik und gleichmäßiger Lichtverteilung

TECHNICAL DATA

Unit Code	Stück
BAR code	4012094888064
Height	55.00 mm
Outer diameter	50 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	670.00 lm
Lamp	Inklusive LED
IP rating	20
Power	6,2 W
Current mA	350 mA





ALUSPIEGEL 38° 350mA CRI90 LED Modul 6, 2W 2700K

Article nr.: 88806

TECHNICAL DATA

Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_E
CRI	≥ 90
Lifetime L70B50	50.000 h





**ALUSPIEGEL 38° 350mA CRI90 LED
Modul 6, 2W 2700K**

Article nr.: 88806

TECHNICAL DRAWING

