




## VARDAflex Quantum Plus Profi - 5 M- Rolle Flex.LEDStrip, 24V, Innen, 4000K CRI80

Article nr.: 84108

mit selbstklebender Rückseite, · für die Innenanwendung · alle 62,5 mm / 8 LEDs teilbar · Anzahl der LEDs: 640 · LED Abstand: 7,81 mm · Ausstrahlwinkel: 120° · CRI: >80 · Lichtstrom pro Meter: 2.050 lm · Betriebsspannung: 24V DC · Leistung pro Meter: 14 W · Lebensdauer L70B50: >100.000 h · Lebensdauer L80: >60.000 h · Energieeffizienzklasse: E · LxBxH in mm: 5.000 x 10 x 1,4 · Leichte lötfreie Montage durch Steckverbindungen (optional). · Maximale Länge pro Anschluss: 5 Meter. Für größere Längen neu einspeisen. · Lieferumfang: 5 Meter-Rolle · Förderfähig nach BEG Förderprogramm 2021 - 2030

### TECHNICAL DATA

Unit Code	Stück
BAR code	4012094841083
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.40 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	10250.00 lm
Lightoutput per LED	16.02 lm
Lamp	Inklusive LED






## VARDAflex Quantum Plus Profi - 5 M- Rolle Flex.LEDStrip, 24V, Innen, 4000K CRI80

Article nr.: 84108

### TECHNICAL DATA

IP rating	20
Power	70 W
Psb	0,00 W
Current mA	2.917 mA
Voltage	24 V
Amount of LED	640
Temperature range	-20 - 45
LED per meter	128
Dimension of segments	62.50 mm
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	100.000 h





**VARDAflex Quantum Plus Profi - 5 M-  
Rolle Flex.LEDStrip, 24V, Innen, 4000K  
CRI80**

Article nr.: 84108

**TECHNICAL DRAWING**

